

Doill > Doill ATF 220 DEXRON IID TDS > English

## **ATF 220 DEXRON IID**

# DEXRON IID Doill Automatic Transmission Oil

#### **Transfer Case and Power Steering**

#### Mineral

#### Usage

**Doill ATF 220 DEXRON IID,** Automatic Transmission Fluid is used in automatic gearbox, transmission, torque convector, steering system, hydraulic applications, boat reverse gear and similar applications as required by DEXRON IID standards. It provides high fluidity at low temperature, gear transitions. It shows thermal stability at high temperature.

#### **Performance**

Advantages of **Doill ATF 220 DEXRON IID** in Dexron/Mecron style automatic transmission shifts:

- Dexron IID performance level.
- Provides oxidation and thermal stability.
- It has been tested against all seasonal conditions.

#### **Suggestions**


**Doill ATF 220 DEXRON IID** can be mixed with fluids of similar specifications, where Dexron III is required, Doill ATF 320 DEXRON III, Doill ATF LT71141 and Doill ATF DEXRON VI automatic transmission fluids, etc. Replace the product with professional assistance. Before using the product, refer to the vehicle owner's manual. You can contact Doill for detailed information about the use of the product.

Features and Specifications	
Density @ 15 °C, g/cm³, ASTM D4052	0.86
Kinematic Viskosity @ 100 °C, mm²/s, ASTM D445	7
Kinematic Viskosity @ 40 °C, mm²/s, ASTM D445	41.05
Viscosity Index, ASTM D2270	153
Flash Point, °C, Clevland Açık Kap, ASTM D92	210
Color, Appearance, ASTM D1500	Red



#### Doill ATF 220 DEXRON IID

Meets or exceeds the following performance levels:	
OEM GRUP	SPECIFICATION
ALISON	C4
ZF	ZF TE-ML 04D / 11A / 14A
MERCEDES	MB 236.7
CATERPILLAR	CATERPILLAR TO-2
FORD	Ford M2C 33G
OPEL / GM	GENERAL MOTORS DEXRON IID
MAN	MAN 339 Typ Z1 et V1
VOITH	VOITH 55.6335.32 (G607)
DEXRON	Dexron® IID



### Doill ATF 220 DEXRON IID 25 May 2020

Doill, the Doill logo and related marks are trademarks of Doğan Boya Makine Ve Kimya Sanayi Limited Şirketi, used under license.

This data sheet and the information it contains is believed to be accurate as of the date of printing. However, no warranty or representation, express or implied, is made as to its accuracy or completeness. Data provided is based on standard tests under laboratory conditions and is given as a guide only. Users are advised to ensure that they refer to the latest version of this data sheet. It is the responsibility of the user to evaluate and use products safely, to assess suitability for the intended application and to comply with all applicable laws and regulations. Material Safety Data Sheets are available for all our products and should be consulted for appropriate information regarding storage, safe handling, and disposal of the product. No responsibility is taken by for any damage or injury resulting from abnormal use of the material, from any failure to adhere to recommendations, or from hazards inherent in the nature of the material. All products, services and information supplied are provided under our standard conditions of sale. You should consult our local representative if you require any further information you can call +90 850 302 41 40

#### **Lubricant Is Our Business**